

This report can be obtained electronically from our website or contact our office.

MWSC is an equal opportunity provider and employer.



Public Participation Opportunities

 Meetings:
 Board Meeting Third Thursday of each month.

 Time:
 6:00 PM

 Location:
 13805 South SH 95 Coupland, TX 78615

 Phone No:
 (512) 856 - 2488

Contact Information

Mailing Address: P.O. Box 248, Coupland TX 78615 Physical Address: 13805 South SH 95, Coupland, TX 78615 Phone Number: (512) 856-2488 Fax Number: (512) 856-2029 Auto Bill Pay: (512) 856-9006 Website: www.manvillewsc.org

Manville Office @ 13805 South SH 95 Lobby Hrs. Mon.-Fri. 8:30 a.m.-3:30 p.m. Drop box available 24/7. Please keep informed of all system news & emergency notices by signing up for "ALERTS" on our website.

Manville is phasing out accepting personal checks for utility payments.

Manville offers several EASY & FREE options to make your utility payment.

PAYMENT OPTIONS

Online bill pay system with a credit card or check,

By phone through our voice response system (IVR) by calling 512-856-9006 or Monthly bank draft from your bank - form can be obtained on our website

The Benefits of Electronic Payments

Electronic payments have immediate payment verification. There is more accurate matching of payments and accounts. Electronic payments save time & are more convenient. Electronic payments save money due to increasing costs of paper checks and postage.

NOTE: ALL PAYMENTS MADE AFTER 3 P.M. MAY NOT BE CREDITED UNTIL THE FOLLOWING BUSINESS DAY. Annual Drinking Water Quality Report January 1 to December 31, 2024

Notice to Customers

Enclosed with this report you will find data sheets provided by the City of Pflugerville and 130 Regional WSC. Manville purchases water from these entities for various areas within our serving area and we are required to provide customers with this data. Please note that City of Pflugerville is surface (lake) water so the testing requirements slightly differ from Manville's & 130 Regional WSC is groundwater.

Termination of Service

To avoid termination of your service for non-payment, you must pay the balance of your account by the due date. Once your service has been terminated; the FULL account balance, including any new charges and the reconnection fee, must be paid. Fees must be paid by credit/debit card, cash, cashiers check or money order. NO PERSONAL CHECKS ACCEPTED.

Failure to receive a bill does not exempt you from making your monthly payment or disconnection

METER READING/LEAK DETECTION

Your meter is an automatic meter read meter (AMR). See photos below



If you have a billing discrepancy, the first thing you should do is read your water meter. The water meter is in a meter box that is in the ground at the road. Open the lid on the meter box. To read meter see below. Then compare the reading to the present reading on your water bill. Please contact the office for any assistance. Any customer that feels the meter is to blame for the high usage can have the meter removed and tested at the customer's expense.

Read the numbers from left to right including the digits in black. If no water is on in your home and the red triangle is turning you have a private leak.

Attention Members - Payments made to www. DOXO.com is unauthorized and does not constitute payment of your water bill.

WATER CONSERVATION Manville WSC has adopted a Mandatory Seasonal Outdoor Watering Policy EFFECTIVE YEARLY May 1st through September 30th

Private leaks occasionally occur and unfortunately, when it happens, water usage and charges can be significantly higher. In this situation, our staff will gladly assist you in setting up a payment plan.

PLEASE CONSERVE



Manville Water Supply Corp.

Mandatory Seasonal Outdoor Watering Policy EFFECTIVE YEARLY May 1st through September 30th.

2025 Outdoor Watering Schedule:

Residential Odd # addresses: Wed. and/or Sat. Even # addresses: Thurs. and/or Sun.

Commercial/Multi-family All addresses – Tues. & or Friday

All Customers - Operation of irrigation systems or hose-end sprinklers

should be before 10am & after 7pm. Hand watering is allowed any day and any time.

MANVILLE WILL BE STRICTLY ENFORCING THE OUTDOOR WATERING SCHEDULE.

1st violation - Customer will receive written or verbal notice of the violation.

Additional violations - Service may be immediately terminated until the next business day and a reconnection fee of \$75.00 will be charged.

Helpful Tips to Conserve Water

Check for and promptly fix all leaky faucets. Use your water meter to check for hidden water leaks & track your water bill / meter to curtail water use.

Test toilets for leaks by adding a few drops of food coloring or a dye tablet in the water tank. Wait a few minutes and see if coloring appears in the bowl. (If it does, the toilet has a silent leak that needs repair)

Install high-efficiency toilets, aerators on bathroom faucets, and water-efficient shower heads.

When brushing your teeth, turn the water off until it is time to rinse.

Take a 5 minute shower or 6" deep bath.

Use your clothes washer and dishwasher only when they are full. This will save up to 1,000 gallons a month.

Chill drinking water in the refrigerator instead of running the faucet until the water is cold.

Don't use running water to thaw food. Defrost food in the refrigerator for water efficiency and food safety.

Purchase a rain barrel to capture rainwater for use on your landscape.

Plant drought-tolerant plants, shrubs and grasses when landscaping.

Replace your grass/turf with water-wise plants.

Do not over water your lawn. The soil only holds so much moisture and the rest runs off.

Position sprinklers so they are not watering walkways and driveways.

Check sprinkler systems and timing devices regularly to be sure they are working properly.

Adjust your lawnmower to cut grass high. Taller grass holds moisture better.

Do not "sweep" walks and driveways with the hose. Use a broom or rake instead.



Annual Drinking Water Quality Report January 1 to December 31, 2024

This is your water quality report for January 1 to December 31, 2024.

This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water. For more information regarding this report contact: Name Erik Prinz Phone 512-856-2488

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono (512) 856-2488.

Source Water Assessment

No Source Water Assessment for our drinking water source(s) has been conducted by the TCEQ. This information describes the susceptibility and types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The information in this assessment will allow us to focus our source water protection strategies.

For more information about our sources of water, please refer to the Source Water Assessment Viewer available at the following URL: http://tceq.texas.gov/gis/swaview

Further details about sources and source-water assessments are available in Drinking Water Watch at the following URL: http://dww2.tceq.texas.gov/DWW/

Information about your Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturallyoccurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

Your drinking water is obtained from surface and groundwater sources in Travis, Lee, Williamson & Burleson counties. It comes from the Edwards Aquifer, River Alluvium Aquifer, Simsboro and the Carrizo-Wilcox Aquifer. Water purchased from the City of Pflugerville is surface water from Lake Pflugerville/LCRA & Edwards groundwater.

Contaminants that may be present in source water include:

*Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

*Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

*Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

*Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

*Radioactive contaminants, which can be naturally - occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact our business office at 512-856-2488.

Special notice for the Elderly, Infants, Cancer Patients, people with HIV/AIDS or other immune problems:

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or immune compromised persons such as those undergoing chemotherapy for cancer; those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care provider. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline at (800) 426-4791.





Annual Drinking Water Quality Report January 1 to December 31, 2024

| Definitions and Abbreviations | The following tables contain scientific terms and measures, some of which may require explanation. |
|---|--|
| Action Level: | The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. |
| Avg: | Regulatory compliance with some MCLs are based on running annual average of monthly samples. |
| Maximum Contaminant Level or MCL | The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. |
| Level 1 Assessment | A level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water. |
| Maximum Contaminant Level Goal or MCLG | The level of a contaminant in drinking water below which there is no known or expected risk to health. MCGLs allow for a margin of safety. |
| Level 2 Assessment | A level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions. |
| Maximum residual disinfectant level or MRDL | The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. |
| Maximum residual disinfectant level goal or MRDLG | The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. |
| MFL | million fibers per liter (a measure of asbestos) |
| na | not applicable |
| mrem | millirems per year (a measure of radiation absorbed by the body) |
| NTU | nephelometric turbidity units (a measure of turbidity) |
| pCi/L | picocuries per liter (a measure of radioactivity) |
| ppb | micrograms per liter or parts per billion-or one ounce in 7,350,000 gallons of water |
| ppm | milligrams per liter or parts per million-or one ounce in 7,350 gallons of water |
| Treatment Technique or TT | A required process intended to reduce the level of a contaminant in drinking water |
| ppt | parts per trillion, or nanograms per liter (ng/L) |
| pqq | parts per quadrillion, or picograms per liter (pg/L) |
| Lead and Copper | |

Lead and Copper

| -oud und coppe. | | | | | | | | |
|-----------------|--------------------|--------------------|-----------------------|--------------|------|-------|-----------|---|
| Collection Date | Lead and Copper | 90th Percentile | # of Sites over AL | Action Level | MCLG | Units | Violation | Likely Source of Contamination |
| 2022 | Copper | 0.2 | 0 | 1.3 | 1.3 | ppm | N | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives. |
| 2022 | Lead | 0.001 | 1 | 15 | 0 | ppb | N | Erosion of natural deposits; Corrosion of household plumbing systems; erosion of natural deposits. |
| | | | - | | | - | - | |

Recommended Additional Health Information for Lead

"If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. This water supply is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

| Regulated Contaminants | Regulated Contaminants | | | | | | | | | | |
|-------------------------------------|---|------------------------------|-----------------------------|-----------------------------|--------------|-------------|---------------------|---|--|--|--|
| Disinfection Byproducts | I. | | | | | | | | | | |
| Collection Date | Disinfectants and Disinfection By-Products | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Units | Violation | Likely Source of Contamination | | | |
| 2024 | Total Haloacetic Acids (HAA5)* | 14 | 0-20.3 | No goal for the total | 60 | ppb | N | By-product of drinking water disinfection. | | | |
| The value in the Highest Level or A | Average Detected column is the high | est average c | f all HAA5 sample res | sults collecte | ed at a loca | tion over a | year. | | | | |
| 2024 | Total Trihalomethanes (TThm)* | 69 | 10.6-89.1 | No goal for the total | 80 | ppb | N | By-product of drinking water disinfection. | | | |
| The value in the Highest Level or A | Average Detected column is the high | est average o | f all TTHM sample re | sults collect | ed at a loca | tion over a | year. | | | | |
| | taining trihalomethanes (TTHM) in ex | cess of the N | ICL over many years | may experi | ence proble | ms with the | eir liver, kidneys, | or central nervous systems, and may have an | | | |
| ncreased risk of getting cancer. | | | | | | | | | | | |



Annual Drinking Water Quality Report January 1 to December 31, 2024

| Year | Contaminant | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Violation | Unit of Measure | Likely Source of Contamination |
|--|---|---|--|--|--|--|--|--|
| 2022 | Arsenic | 4 | 0-4 | 0 | 10 | N | ppb | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics product wastes. |
| 2022 | Barium | 0.158 | 0.0514-0.158 | 2 | 2 | N | ppm | Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits. |
| 2022 | Chromium | 10.3 | 0-10.3 | 100 | 100 | N | ppb | Discharge from steel and pulp mills. Erosion of natural deposits. |
| 2023 | Fluoride | 2.08 | 0.1-2.08 | 4 | 4 | N | ppm | Discharge from aluminum and fertilizer factories; Erosion of natural deposits; Water additive which promotes strong teeth. |
| 2024 | Nitrate (measured as Nitrogen) | 1.88 | 0-1.88 | 10 | 10 | N | ppm | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. |
| 2022 | Selenium | 10.6 | 0-10.6 | 50 | 50 | N | ppb | Discharge from petroleum and metal refineries; Erosion of natural deposits; discharge from mines. |
| evelop cosi ental fluoro inking wate | netic discoloration of their permanen sis, in its moderate or severe forms | nt teeth (dental , may result in | fluorosis). The drin a brown staining an | king water provic d/or pitting of the | led by your com | munity water s h. This problen | ystem Manvill n occurs only | le WSC has a fluoride concentration of 0.22 - 2.52 mg/L. |
| evelop cosr ental fluoro rinking wate nd adults m | metic discoloration of their permanent sis, in its moderate or severe forms or or water that has been treated to r ay safely drink the water. | nt teeth (dental , may result in remove the fluc | fluorosis). The drin a brown staining an oride to avoid the po | king water provic d/or pitting of the ossibility of stainir | ded by your comm permanent teeth ng and pitting of t | munity water s h. This problen their permaner | ystem Manvill n occurs only nt teeth. You r | le WSC has a fluoride concentration of 0.22 - 2.52 mg/L. |
| evelop cosi ental fluoro inking wate nd adults m or more info | metic discoloration of their permanents, in its moderate or severe forms or or water that has been treated to r ay safely drink the water. In the mation, please call Manville WSC at 5 | nt teeth (dental , may result in remove the fluc 1 12-856-2488 . S | fluorosis). The drin a brown staining an rride to avoid the po some home water tre | king water provic d/or pitting of the ossibility of stainir atment units are a | ded by your coming permanent teething and pitting of the second s | munity water s h. This problen their permaner emove fluoride f | ystem Manvill n occurs only nt teeth. You r rom drinking w | e WSC has a fluoride concentration of 0.22 - 2.52 mg/L. in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative sourc may also want to contact your dentist about proper use by young children of fluoride-containing products. Older child |
| evelop cosi ental fluoro rinking wate nd adults m or more info | metic discoloration of their permanents, in its moderate or severe forms or or water that has been treated to r ay safely drink the water. In the mation, please call Manville WSC at 5 | nt teeth (dental , may result in remove the fluc 1 12-856-2488 . S | fluorosis). The drin a brown staining an rride to avoid the po some home water tre | king water provic d/or pitting of the ossibility of stainir atment units are a | ded by your coming permanent teething and pitting of the second s | munity water s h. This problen their permaner emove fluoride f | ystem Manvill n occurs only nt teeth. You r rom drinking w | ie WSC has a fluoride concentration of 0.22 - 2.52 mg/L. in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative sourc may also want to contact your dentist about proper use by young children of fluoride-containing products. Older child rater. To learn more about available home water treatment units, you may call NSF International at 1-877-8-NSF-HELP. |
| evelop cosi ental fluoro inking wate nd adults m or more info itrate in drir | metic discoloration of their permanents, in its moderate or severe forms or or water that has been treated to r ay safely drink the water. In the mation, please call Manville WSC at 5 | nt teeth (dental , may result in remove the fluc 1 12-856-2488 . S | fluorosis). The drin a brown staining an rride to avoid the po some home water tre | king water provic d/or pitting of the ossibility of stainir atment units are a | ded by your coming permanent teething and pitting of the second s | munity water s h. This problen their permaner emove fluoride f | ystem Manvill n occurs only nt teeth. You r rom drinking w | in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative sourc may also want to contact your dentist about proper use by young children of fluoride-containing products. Older child rater. To learn more about available home water treatment units, you may call NSF International at 1-877-8-NSF-HELP. |
| evelop cosi inking wate ind adults m or more info trate in drir | metic discoloration of their permanents, in its moderate or severe forms or or water that has been treated to r ay safely drink the water. Invation, please call Manville WSC at 5 nking water at levels above 10 ppm | nt teeth (dental , may result in remove the fluc 1 12-856-2488 . S | fluorosis). The drin a brown staining an rride to avoid the po some home water tre | king water provic d/or pitting of the ossibility of stainir atment units are a | ded by your coming permanent teething and pitting of the second s | munity water s h. This problen their permaner emove fluoride f | ystem Manvill n occurs only nt teeth. You r rom drinking w | in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative source may also want to contact your dentist about proper use by young children of fluoride-containing products. Older child rater. To learn more about available home water treatment units, you may call NSF International at 1-877-8-NSF-HELP. |
| evelop cosi ental fluoro inking wate ad adults m or more info itrate in drii adioactiv | metic discoloration of their permanents, in its moderate or severe forms or or water that has been treated to real ay safely drink the water. Invariant, please call Manville WSC at 5 Inking water at levels above 10 ppm in the Contaminants | nt teeth (dental , may result in remove the fluc 12-856-2488. S is a health risk Maximum | fluorosis). The drin a brown staining an rride to avoid the po iome home water tre for infants of less th Range of Levels | king water provic d/or pitting of the sssibility of stainir atment units are a nan six months of | ded by your coming and pitting of the second | munity water s h. This problem their permanen move fluoride f e levels in drin | ystem Manvill n occurs only nt teeth. You r rom drinking w king water car while the set of the set | in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative sourn may also want to contact your dentist about proper use by young children of fluoride-containing products. Older chil rater. To learn more about available home water treatment units, you may call NSF International at 1-877-8-NSF-HELP. In cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall. |

Residual Disinfectant Level

| Yea | ar | Disinfectant | Maximum Level | Range of Levels Detected | MRDL | MRDLG | Violation | Unit of Measure | Source of Disinfectant |
|-----|----|-------------------------|------------------|-----------------------------|------|-------|-----------|--------------------|--|
| 202 | 24 | Chloramines Residual | 2.44 | 0.74-2.44 | 4.0 | 4.0 | N | ppm | Water additive used to control microbes. |
| 202 | 24 | Chlorine Residual, Free | 2.58 | 0.82-2.58 | 4.0 | 4.0 | N | ppm | Water additive used to control microbes. |



Annual Drinking Water Quality Report January 1 to December 31, 2024

*Secondary and Other Constituents Not Regulated (No associated adverse health effects)

| Date | Constituent | Range of Levels Detected | Highest Level | Secondary | Unit Measure | Source of Constituent |
|------|------------------------------|--------------------------|---------------|-----------|-----------------|---|
| 2023 | Bicarbonate | 199-387 | 387 | NA | ppm | Abundant naturally occurring element. |
| 2022 | Calcium | 11.2-99.6 | 99.6 | NA | ppm | Abundant naturally occurring element. |
| 2023 | Chloride | 20-60 | 60 | 300 | ppm | Abundant naturally occurring element; used in water purification; by-product of oil field activity. |
| 2022 | Iron | <0.01-0.311 | 0.311 | 0.3 | ppm | Erosion of natural deposits; iron or steel water delivery equipment or facilities. |
| 2022 | Magnesium | 3.36-31.8 | 31.8 | NA | ppm | Abundant naturally occurring element. |
| 2022 | Manganese | <0.001-0.0246 | 0.0246 | 0.05 | ppm | Abundant naturally occurring element. |
| 2022 | Nickel | <0.001-0.0042 | 0.0042 | NA | ppm | Erosion of natural deposits. |
| 2022 | Potassium | 1.01-3.27 | 3.27 | NA | ppm | Erosion of natural deposits. |
| 2022 | Sodium | 12.3-78.0 | 78.0 | NA | ppm | Erosion of natural deposits; byproducts of oil field activity. |
| 2023 | Sulfate | 0-84 | 84 | 300 | ppm | Naturally occurring; common industrial byproduct; byproduct of oil field activity. |
| 2023 | Total Alkalinity as CaCO3 | 163-317 | 317 | NA | ppm | Naturally occurring soluble mineral salts. |
| 2023 | Total Dissolved Solids | 253-532 | 532 | 1000 | ppm | Total dissolved mineral constituents in water. |
| 2022 | Total Hardness as CaCO3 | 41.8-369 | 369 | NA | ppm | Naturally occurring calcium. |
| 2022 | Zinc | <0.005-0.0665 | 0.0665 | 5 | ppm | Moderately abundant naturally occurring element used in the metal industry. |

Unregulated Contaminants

| Bromoform, chlo | roform, dichlorobromom | ethane, and di | bromochloromethane a | re disinfection b | yproducts. 7 | here is no max | timum conta | aminant level for these chemicals at the entry point to distribution. |
|-----------------|------------------------|------------------------------|-----------------------------|-------------------|--------------|----------------|--------------------|---|
| Date | Contaminant | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Violation | Unit of Measure | Likely Source of Contamination |
| 2024 | Chloroform | 2.5 | 0-2.5 | N/A | N/A | N | ppb | |
| 2024 | Bromoform | 3.8 | 1.6-3.8 | N/A | N/A | N | | By-product of drinking water disinfection.Unregulated contaminants are those for which the EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining their |
| 2024 | Bromodichloromethane | 4 | 1.1-4 | N/A | N/A | N | | occurrence in drinking water and whether future regulations are warranted. |
| 2024 | Dibromochloromethane | 4.3 | 2.6-4.3 | N/A | N/A | N | ppb | |

Coliform Bacteria

| Date | Maximum Contaminant Level Goal | Total Coliform Maximum Contaminant Level | Highest No. of Positives | Fecal Coliform or E. Coli Maximum Contaminant Level | Total No of Positive E Coli or Fecal Coliform Samples | | Likely Source of Contaminant | | | | |
|---|-----------------------------------|---|--------------------------|---|--|------------|--|--|--|--|--|
| 2022 | 0 | 0 | 0 | 0 | 0 | N | Naturally present in the environment | | | | |
| Total Coliform REF | PORTED MONTHLY TEST | S FOUND NO | COLIFORM BACTERIA & | Fecal Coliform | REPORTED MONTHLY TESTS FOUND NO FECAL COLIFORM BACTERIA | | | | | | |
| | Violation Type | | Violation Begins | Violation Ends | Violation Explanation | | | | | | |
| Monitor GWR/Triggered Source 10/16/2024 2/20/2025 | | | | | | | within 24 hours of learning of the total coliform-positive sample. These needed to be tested for fecal indicators t the time the positive sample was collected. | | | | |
| 2024 WATER LO | OSS AUDIT - In the wate | er loss audit su | bmitted to the Texas Wa | ater Developme | ent Board for the time period | of Jan-Dec | 2024, our system lost an estimated 479,503.015 gallons of water or 13.92% of the total water produced & | | | | |

2024 WALER LOSS AUDIL - In the water loss audit submitted to the Texas Water Development Board for the time period of Jan-Dec 2024, our system lost an estimate purchased, as a result of main line breaks, leaks, theft and other causes. If you have any questions about the water loss audit please call 512-856-2488.



Annual Drinking Water Quality Report January 1 to December 31, 2024

130 Regional WSC

Wholesale Water Quality Test Result 2024

Inorganic Contaminants

| Collection Date | Contaminant | Highest Level | Range of Level | Detected | Violation | MCL | MCLG | Unit of Measure | Source of Constituent |
|--------------------|--------------------------------|------------------|-----------------------------------|------------------------------|-------------|--|--------------------|--------------------|--|
| 2023 | Barium | 0.124 | 0.124-0.1 | 124 | N | 2 | 2 | ppm | Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits. |
| 2023 | Fluoride | 0.16 | 0.16-0.16 | | N | 4 | 4 | ppm | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertiliz and aluminum factories. |
| 2024 | Nitrate (measured as Nitrogen) | 0.05 | 0.05-0.05 | | N | 10 10 ppm Runoff from fertilizer use; Leaching from septic tanks | | ppm | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. |
| | | | | | | | | | |
| Residual Di | sinfectant Level | | | | | | | | |
| Year | Disinfectant | Average Level | Range of Levels Detected | MRDL | MRDLG | Violation | Unit of Measure | | Source of Disinfectant |
| 2024 | Free Chlorine | 1.44 | 0.90-1.72 | 4.0 | 4.0 | N | ppm | | Water additive used to control microbes. |
| | | | | | | | | | |
| Disinfectior | Byproducts | | | | | | | | |
| Collection Date | Disinfectants and Disinfection | By-Products | Range of Individual Samples | Highest Level Detected | MCL | MCLG | Units | Violation | Likely Source of Contamination |
| 2024 | Total Haloacetic Acids (I | HAA5)* | 1.2-1.2 | 1.2 | 60 | No goal for the total | ppb | N | By-product of drinking water disinfection. |
| 2024 | Total Trihalomethanes (| TThm)* | 11.8-11.8 | 11.8 | 80 | No goal for the total | ppb | N | By-product of drinking water disinfection. |
| | | | Water purchased | from 130 Re | egional WSC | c is groundw | vater that com | es from the Car | rizo-Wilcox Aquifer, in Burleson County. |
| | | | | | | | | | |



2024 Wholesale Drinking Water Quality Report

Consumer Confidence Report

City of Pflugerville (512) 990-6100

| Year | Constituent | High | Low | Range | MCL | MCLG | Units | Violation | Source of Constituent |
|--|---|-------------------|------------|----------------------|-----------------------|-------------------------|----------------------|------------------------|--|
| 2024 | Barium | 0.0639 | 0.0639 | 0.0639 | 2 | 2 | ppm | N | Erosion of natural deposits. |
| 2024 | Cyanide | 0.07 | 0.07 | 0.07 | 0.2 | 0.2 | ppm | Ν | Discharge from plastic, fertilizer and steel/metal factories |
| 2024 | Fluoride | 0.32 | 0.19 | 0.19-0.32 | 4 | 4 | ppm | N | Erosion of natural deposits; water additive which promotes strong teeth |
| 2024 | Arsenic | <0.002 | <0.002 | <0.002 | 10 | 0 | ppb | N | Leaching from natural deposits |
| 2024 | Nickel | 0.0019 | 0.0019 | 0.001 | NA | NA | ppm | Ν | Erosion of natural deposits |
| 2024 | Selenium | <0.003 | <0.003 | <0.003 | 0.05 | 0.05 | ppm | N | Discharge from Petroleum and metal refineries, erosion control of natural deposits, disc form mines |
| | ing water at levels above 10 an infant, you should ask adv | | | han six months of aç | ge. High nitrate leve | els in drinking water o | can cause blue bab | y syndrome. Nitrate le | vels may rise quickly for short periods of time because of rainfall or agricultural activity. If y |
| adioactive | Contaminants | | | - | - | - | - | - | |
| Year | Constituent | High | Low | Range | MCL | MCLG | Units | Violation | Source of Constituent |
| 2021 | Combined Radium | 1.5 | 1.5 | 1.5 | 5 | 0 | pci/L | N | Erosion of natural deposits. |
| urbidity | | | | | | | • | | |
| Year | Constituent | High | Low | Average | MCL | MCLG | Units | Violation | Source of Constituent |
| 2024 | Turbidity | 0.21 | 0.01 | 0.03 | 0.3 | NA | NTU | Ν | Soil runoff. |
| | no health effects. However, tu ea, cramps, diarrhea and asso | | | id provide a medium | for microbial growt | h. Turbidity may indi | cate the presence of | of disease-causing org | anisms. These organisms include bacteria, viruses and parasites that can cause symptor |
| nregulated | l Contaminants | | 1 | | | | • | 1 | 1 |
| Year | Constituent | High | Low | Average | MCL | MCLG | Units | Violation | Source of Constituent |
| 2024 | Dibromochloromethane | 33.9 | <1 | 15.22 | None Established | | ppb | N | |
| 2024 | Chloroform | 16.3 | <1 | 5.7 | None Es | stablished | ppb | N | Unregulated contaminants are those for which the EPA has not established drinking w standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining their occurrence drinking water and whether future regulations are warranted |
| 2024 | Bromoform | 18.4 | <1 | 7.31 | None Es | stablished | ppb | N | |
| 2024 | Bromodichloromethane | 28.7 | <1 | 10.81 | None E | stablished | ppb | N | |
| econdarv | and Other Constituents N | ot Regulated | | | | | | | |
| Year | Constituent | High | Low | Average | Second | lary Limit | Units | Violation | Source of Constituent |
| 2024 | Aluminum | 0.0471 | 0.0471 | 0.0471 | 50 | -200 | ppb | N | Naturally occurring element. |
| 2024 | Calcium | 40.1 | 40.1 | 40.1 | 1 | NA | ppm | N | Naturally occurring element. |
| 2024 | Chloride | 59 | 37 | 43 | 3 | 00 | ppm | N | Naturally occurring element. |
| | pН | 8.4 | 7.18 | 7.98 | > | 7.0 | units | N | Measure of corrosivity of water. |
| 2024 | Sodium | 27.5 | 27.5 | 27.5 | 1 | NA | ppm | N | Naturally occurring element. |
| 2024 2024 | | 00 | 34 | 36 | 3 | 00 | ppm | N | Naturally occurring material. |
| | Sulfate | 38 | | 168 | 1 | NA | ppm | N | Naturally occurring calcium and magnesium |
| 2024 | Sulfate Hardness | 38 168 | 168 | 100 | NA | | ppm | Ν | Naturally soluble mineral salts. |
| 2024 2024 | | | 168 114 | 201 | 1 | NA | | | |
| 2024 2024 2024 | Hardness | 168 | | | | NA 000 | ppm | Ν | Total dissolved mineral constituents in water. |
| 2024 2024 2024 2024 2024 | Hardness Total Alkalinity Total Dissolved Solids | 168 288 | 114 | 201 | | | ppm | N | Total dissolved mineral constituents in water. |
| 2024 2024 2024 2024 2024 2024 | Hardness Total Alkalinity Total Dissolved Solids | 168 288 | 114 | 201 | | | ppm Units | N Violation | Total dissolved mineral constituents in water. Source of Constituent |
| 2024 2024 2024 2024 2024 2024 ynthetic O | Hardness Total Alkalinity Total Dissolved Solids rganics | 168 288 432 | 114 292 | 201 362 | 1 | 000 | | 1 | |

water to users throughout the lower Colorado River basin.



Annual Drinking Water Quality Report January 1 to December 31, 2024

Keeping our water safe

The production and delivery of safe water is the highest priority for a public water supply system. After a potable water has been produced, precautions must be taken to ensure that it is not contaminated with water, liquids, gases, or corrosive products from external sources.



What is a cross-connection

A physical connection between a public water system and any source which may contain contaminating or polluting substances or any source of water treated to a lesser degree in the treatment process. Most common potential cross - connection is the simple misuse of an ordinary garden hose in the residential setting. Any time a hose is connected to an unprotected faucet or to the end of a pipe, this constitutes an extension of your water line and compromises its built-in air gap.

Backflow Prevention Device

Hose Bib Vacuum Breaker This device is a non-testable atmospheric vacuum breaker designed for attachment to a hose-bib/sillcock to prevent back siphonage only.

Manville WSC mandates that all customers use this device on every hose bib.

Taste - Odor - Discoloration of water

It's Manville's desire to provide our customers with safe, reliable and affordable water; therefore, if you notice that your water has an odor, is discolored or tastes bad, please contact our office immediately (512)856-2488.

This can be caused by a variety of substances and is more pronounced in warmer water.

Rotten egg smell / Sulfur taste -- caused by Sulfur compounds

Yellow/Brown water -- caused by Iron & Manganese in water

Chlorine -- disinfectant reacts with organisms, organic matter or minerals and may produce taste and/or odor in the drinking water

Private plumbing may also cause taste & odor in water.

Water Heater - Minerals & gases can be trapped in the bottom of water heaters. Also if the thermostat on the water heater is set too high or malfunctions the water can overheat causing it to back up into the cold water lines. Both will cause bad taste and/or odor in your water. Old Plumbing - Old pipes can contain scaling or corrosion which can create an odor or bad taste.

Private Shut off valve

Every customer must have a private shut off valve on their side of meter to shut off the water supply. The meter shut off valve is for Manville WSC use only.